


EXISTING UTILITY LOCATIONS ARE NOT GUARANTEED, CONTRACTOR SHALL NOTIFY CALL BEFORE YOU DIG PRIOR TO ANY EXCAVATION.



DRAINAGE PLAN

APPROXIMATE SCALE: 1" = 20'

Test Pits

TEST PIT RESULTS TAKEN FROM DATA ON FILE AT THE WESTPORT ENGINEERING DEPARTMENT. TEST PIT PERFORMED AT 25 WESTFAIR DRIVE CHAPPA SITE CONSULTING DID NOT WITNESS TEST EXCAVATION/RESULTS.

AUGUST 20, 2015


Test Pit #1

00 - 15" TOPSOIL

15 - 48" ORANGE/BROWN SILT SAND

48 - 72" BROWN SAND AND GRAVEL

- * NO GROUND WATER
- * MOTTLING AT 28"
- * NO LEDGE
- * ROOTS TO 28"




TYPICAL SILT FENCE

NO SCALE

GENERAL CONSTRUCTION NOTES:

1. ALL SITE CONSTRUCTION SHALL CONFORM TO THE TOWN OF WESTPORT STANDARDS SPECIFICATION. IN THE ABSENCE OF THE TOWN OF WESTPORT STANDARDS, REFER TO THE STATE OF CONNECTICUT DEPARTMENT OF TRANSPORTATION FORM 814A, 1995.
2. SUBSURFACE STRUCTURES AND UTILITIES HAVE BEEN DETERMINED FROM EXISTING RECORDS AND ARE NOT GUARANTEED TO BE COMPLETE OR ACCURATE. INITIAL DETERMINATION OF UTILITY LOCATIONS SHALL INCLUDE BUT IS NOT LIMITED TO CONTACTING "CALL BEFORE YOU DIG". TO AVOID CONFLICT OF THE PROPOSED WORK AND EXISTING UTILITIES, THE CONTRACTOR SHALL LOCATE EXISTING UTILITIES BY EXCAVATING TEST HOLES. SHOULD THE CONTRACTOR DETERMINE THAT A CONFLICT EXISTS, HE SHALL PROMPTLY NOTIFY THE ENGINEER WHO WILL MAKE THE NECESSARY DESIGN ADJUSTMENTS.
3. ALL PRECAST CONCRETE GALLERIES SHALL SUPPORT H2O LOADING AND BE SO CERTIFIED BY THE MANUFACTURER.
4. EXISTING CONDITIONS INFORMATION TAKEN FROM A SURVEY PREPARED FOR MICHAEL D. DANGELO & WHITNEY T. DANGELO BY WALTER H. SKIDD, L.S.; FAIRFIELD, CT. DATED: MARCH 9, 2020; REV: APRIL 14, 2020.
5. THE CONTRACTOR/BUILDER SHALL BE RESPONSIBLE FOR DIRECTING THE PROPER VOLUME OF STORM WATER RUNOFF TO THE APPROPRIATE DRAINAGE DETENTION SYSTEM - SEE DRAINAGE COMPUTATIONS PREPARED BY CHAPPA SITE CONSULTING, LLC.



TYPICAL 12" HIGH PRECAST CONCRETE STORM WATER GALLERY

NO SCALE

MICHAEL & WHITNEY DANGELO
23 WESTFAIR DRIVE; WESTPORT, CT

DATE
5/27/2020

PROPOSED DRAINAGE IMPROVEMENTS PLAN

SCALE
AS SHOWN

DRAINAGE PLAN

PROJECT NO.
30284

SHEET NO
1 of 1

C SITE CHAPPA SITE CONSULTING, LLC
3255 Fairfield Avenue - Bridgeport, CT 06605
phone: (203) 578-1755